

POTREBNE OSNOVNE TEHNIČKE KARAKTERISTIKE NOVOG ILI POLOVNOG VILJUŠKARA NOSIVOSTI OD 33.000 KG DO 35.000 KG ZA TERMINAL ŠKRLJEVO - KOM. 1

- Nosivost od 33 do 35 tona (33.000 kg-35.000 kg)
- Centar nosivosti 1200 mm
- Vrsta goriva – Diesel
- Visina dizanja 5000 mm
- Duplex grana
- Integrirani bočni pomak
- Dužina vilica 2400 mm
- Trn za Coilse - dužine 1500mm, promjera (fi) 300mm-slika u privitku
- Kabina sa klima uređajem (grijanje- hlađenje)
- LED svjetla- naprijed, nazad i rotaciono svjetlo
- Akustični (zvučni) signal prilikom vožnje unatrag
- Zahvatna mjesta – uške za ukrcaj/iskrcaj u brod i iz broda - dizalicom
- Katalog dijelova, upotrebe za rukovanje, shema viljuškara i detaljna shema elektroinstalacija i hidraulike
- Software (dijagnostika) za utvrđivanje kvarova sa glavnom šifrom
- Garantni rok 24 mjeseca ili 4000 radnih sati i rezervni dijelovi uključeni u cijenu u vrijeme garantnog roka

- Obuka vozača, mehaničara, elektroničara i električara u trajanju min. 2-3 dana
- Dva seta rezervnih filtera
- CE Certifikat
- Set alata za popravak
- **Maksimalna starost polovnog stroja 3 godina i maksimalno cca. 3000 radnih sati**

Ponuda mora sadržavati cijenu stroja sa dopremom do terminala Škrljevo, montažu i primopredaju.

REQUIRED BASIC TECHNICAL CHARACTERISTICS OF A NEW OR USED FORKLIFT TRUCK WITH A LOAD CAPACITY FROM 33.000 KG TO 35.000 KG FOR THE ŠKRLJEVO TERMINAL - PCS. 1

- Load capacity from 33 to 35 tons (33.000 kg-35.000 kg))
- Load center 1200 mm
- Fuel type - Diesel
- Lifting height 5000 mm
- Duplex branch
- Integrated lateral displacement
- Fork length 2400 mm
- Coils mandrel - length 1500mm, diameter (fi) 300mm- picture attached

- Cabin with air conditioning (heating-cooling)
- LED lights - forward, backward and rotating light
- Acoustic (audible) signal when reversing
- Gripping points - lugs for boarding / disembarking to and from the ship - by crane
- Parts catalog, handling applications, forklift diagram and detailed wiring and hydraulics scheme
- Software (diagnostics) for determining faults with the main code
- Warranty period of 24 months or 4000 working hours and spare parts included in the price during the warranty period
- Training of drivers, mechanics, electronics and electricians for min. 2-3 days
- Two sets of spare filters
- CE Certificate
- Repair tool set
- **Maximum age of used machine 3 years and maximum approx. 3000 working hours**

The offer must include the price of the machine with delivery to the Škrljevo terminal, assembly and handover.